IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: U.S. Continuation Application of U.S. Application Serial No. 09/915,150

Applicants: Gary R. DelDuca

> Stephen L. Goulette Vinod K. Luthra Marcus C. Merriman

Serial No.:

Unassigned

September 27, 2001

Title:

Filed:

Modified Atmosphere Packages and

Methods for Making the Same

Attorney Docket:

47097-01106USC1

Group Art:

1761

Examiner:

Unassigned

PRELIMINARY AMENDMENT

EXPRESS MAIL MAILING LABEL

Number: EL722095636US

Date of Deposit: September 27, 2001

I hereby certify that this paper or fee is being deposited with the United States Postal Service "EXPRESS MAIL POST OFFICE TO ADDRESSEE" service under 3' CAF.R. 1.10 on the date indicated above and is addressed to:

Adrienne White

Assistant Commissioner for Patents Washington, D.C. 20231

Dear Commissioner:

Please amend the above-identified patent application as follows:

IN THE SPECIFICATION:

Insert a section entitled "Cross-Reference to Related Applications" (page 2, line 5 of the present application) and insert the following: -- This application is a continuation of Serial No. 09/915,150, filed on July 25, 2001, entitled "Modified Atmosphere Packages and Methods For Making The Same" —

CHICAGO 178033v1 47097-01106USC1

IN THE CLAIMS:

Please cancel claims 1-37 and 57-75 without prejudice.

Remarks

Claims 1-37 and 57-75 have been cancelled without prejudice since they are being pursued in the application from which this continuation is based on. Thus, claims 38-56 and 76-86 are in the application after entry of the above amendments. The proposed claims are believed to be consistent with the specification and drawings, and are believed to be in a condition for allowance.

Conclusion

The Commissioner is hereby authorized to charge deposit Account No. 10-0447 (47097-001106USC1) for any fees inadvertently omitted which may be necessary now or during the pendency of this application, except for the issue fee.

Respectfully submitted,

September 27, 2001 Date

Reg. No. 41,774

Jenkens & Gilchrist, P.C.

1445 Ross Avenue, Suite 3200 Dallas, Texas 75202-2799

(312) 425-3900

Attorneys for Applicants

Patent .	Application	Serial	No.	

VERSION WITH MARKINGS TO SHOW CHANGES MADE

In the Specification:

Paragraph beginning at line 5 of page 2 has been amended as follows:

This would be the new paragraph as it appears with amendments shown using underlining and strikeout included.

CROSS-REFERENCE TO RELATED APPLICATION

This application is a continuation of Serial No. 09/915,150, filed on July 25, 2001, entitled "Modified Atmosphere Packages and Methods For Making The Same".

In the Claims

Claims 1-37 and 57-75 have been cancelled.

PENDING CLAIMS AFTER ENTRY OF PRELIMINARY AMENDMENT MAILED SEPTEMBER 27, 2001

38. A method of manufacturing a modified atmosphere package, comprising:

supplying a package, a first layer having at least a portion being substantially permeable to oxygen and a second layer being substantially impermeable to oxygen;

placing a retail cut of raw meat within the package;

supplying a mixture of gases within the package, the gas mixture comprising from about 0.1 to about 0.8 vol.% carbon monoxide and at least one other gas to form a low oxygen environment so as to form carboxymyoglobin on a surface of the raw meat; removing oxygen within the package so as to sufficiently reduce an oxygen level therein so as to inhibit or prevent the formation of metmyoglobin on the surface of the raw meat;

sealing the first layer to the package; and sealing the second layer to at least one of the package and the first layer.

- 39. The method of claim 38, wherein a pocket is formed between the first layer and the second layer.
- 40. The method of claim 38, wherein the second layer is at least sealed to the first layer and the second layer is adapted to be peelable from the first layer.
- 41. The method of claim 38, wherein the package includes a bottom wall, a continuous side wall, and a continuous rim, the continuous side wall encompassing the bottom wall and extending upwardly and outwardly from the bottom wall, the continuous rim encompassing an upper edge of the continuous side wall and projecting generally laterally outwardly therefrom.
 - 42. The method of claim 38 further including the step of removing the second layer.

- The method of claim 38 further including supplying an oxygen scavenger.
- The method of claim 38, wherein the oxygen level in the package is less than 1,000 ppm.
- The method of claim 38, wherein the oxygen level in the package is less than about 500 ppm.
- 46. The method of claim 38, wherein the step of removing oxygen from the package includes evacuating the package.
- 47. The method of claim 38, wherein the step of removing oxygen from the package includes flushing the package with the gas mixture.
- 48. The method of claim 38, wherein the gas mixture further comprises nitrogen, carbon dioxide or the combination thereof.
- 49. The method of claim 38, wherein the gas mixture consists essentially of from about 0.1 to about 0.8 vol.% carbon monoxide, from about 40 to about 80 vol.% nitrogen and from about 20 to about 60 vol.% carbon dioxide.
- 50. The method of claim 38, wherein the gas mixture consists of from about 0.1 vol.% to about 0.6 vol.% carbon monoxide with the remainder carbon dioxide.
- 51. The method of claim 38 further including placing the retail cut of raw meat on a foam tray.
- 52. The method of claim 38, wherein the non-barrier portion comprises a polyolefin or a polyvinyl chloride overwrap.

- 53. The method of claim 38, wherein the gas mixture is supplied to the package such that the oxymyoglobin substantially converts directly to carboxymyoglobin.
- 54. The method of claim 38, wherein the oxymyoglobin substantially converts to deoxymyoglobin before the gas mixture is supplied to the package so as to convert deoxymyoglobin directly to carboxymyoglobin.
- 55. The method of claim 38, wherein the gas mixture comprises from about 0.3 to about 0.5 vol.% carbon monoxide.
- 56. The method of claim 38, wherein the gas mixture comprises from about 0.1 to about 0.5 vol.% carbon monoxide.
 - 76. A modified atmosphere package, comprising:
 - a package being configured and sized to fully enclose a retail cut of raw meat, the package having a mixture of gases comprising from about 0.1 to about 0.8 vol.% carbon monoxide and at least one other gas to form a low oxygen environment so as to form carboxymyoglobin on a surface of the raw meat;
 - a first layer having at least a portion being substantially permeable to oxygen and sealed to the package; and
 - a second layer being substantially impermeable to oxygen and sealed to at least one of the package and the first layer.
- 77. The package of claim 76, wherein a pocket is formed between the first layer and the second layer.
- 78. The package of claim 76, wherein the second layer is at least sealed to the first layer and the second layer is adapted to be peelable from the first layer.
 - 79. The package of claim 76, wherein the package includes a bottom wall, a

continuous side wall, and a continuous rim, the continuous side wall encompassing the bottom wall and extending upwardly and outwardly from the bottom wall, the continuous rim encompassing an upper edge of the continuous side wall and projecting laterally outwardly therefrom.

- 80. The package of claim 76 further including supplying an oxygen scavenger.
- 81. The package of claim 76, wherein the oxygen level in the package is less than 1,000 ppm.
- 82. The package of claim 81, wherein the oxygen level in the package is less than about 500 ppm.
- 83. The package of claim 76, wherein the gas mixture consists essentially of from about 0.1 to about 0.8 vol.% carbon monoxide, from about 40 to about 80 vol.% nitrogen and from about 20 to about 60 vol.% carbon dioxide.
- 84. The package of claim 77, wherein the package further includes a foam tray sized to hold the meat.
- 85. The package of claim 77, wherein the gas mixture comprises from about 0.3 to about 0.5 vol.% carbon monoxide.
- 86. The package of claim 77, wherein the gas mixture comprises from about 0.1 to about 0.5 vol.% carbon monoxide.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: U.S. Continuation Application of U.S. Application Serial No. 09/915,150

Applicants: Gary R. DelDuca

Stephen L. Goulette Vinod K. Luthra Marcus C. Merriman

Serial No.:

Unassigned

Group Art:

Attorney Docket:

1761

Filed:

September 27, 2001

Examiner:

Unassigned

47097-01106USC1

Title:

Modified Atmosphere Packages and

Methods for Making the Same

PRELIMINARY AMENDMENT

EXPRESS MAIL MAILING LABEL

Number: EL722095636US

Date of Deposit: September 27, 2001

I hereby certify that this paper or fee is being deposited with the United States Postal Service "EXPRESS MAIL POST OFFICE TO ADDRESSEE" service under 37 C.F.R. 1.10 on the date indicated above and is addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231.

Adrianna Whita

Assistant Commissioner for Patents Washington, D.C. 20231

Dear Commissioner:

Please amend the above-identified patent application as follows:

IN THE SPECIFICATION:

Insert a section entitled "Cross-Reference to Related Applications" (page 2, line 5 of the present application) and insert the following: --This application is a continuation of Serial No. 09/915,150, filed on July 25, 2001, entitled "Modified Atmosphere Packages and Methods For Making The Same".—

IN THE CLAIMS:

Please cancel claims 1-37 and 57-75 without prejudice.

Remarks

Claims 1-37 and 57-75 have been cancelled without prejudice since they are being pursued in the application from which this continuation is based on. Thus, claims 38-56 and 76-86 are in the application after entry of the above amendments. The proposed claims are believed to be consistent with the specification and drawings, and are believed to be in a condition for allowance.

Conclusion

The Commissioner is hereby authorized to charge deposit Account No. 10-0447 (47097-001106USC1) for any fees inadvertently omitted which may be necessary now or during the pendency of this application, except for the issue fee.

Respectfully submitted,

September 27, 2001

Date

John C. Gatz Reg. No. 41,774

Jenkens & Gilchrist, P.C.

1445 Ross Avenue, Suite 3200

Dallas, Texas 75202-2799

(312) 425-3900

Attorneys for Applicants

VERSION WITH MARKINGS TO SHOW CHANGES MADE

In the Specification:

Paragraph beginning at line 5 of page 2 has been amended as follows:

This would be the new paragraph as it appears with amendments shown using underlining and strikeout included.

CROSS-REFERENCE TO RELATED APPLICATION

This application is a continuation of Serial No. 09/915,150, filed on July 25, 2001, entitled "Modified Atmosphere Packages and Methods For Making The Same".

In the Claims

Claims 1-37 and 57-75 have been cancelled.

PENDING CLAIMS AFTER ENTRY OF PRELIMINARY AMENDMENT MAILED SEPTEMBER 27, 2001

38. A method of manufacturing a modified atmosphere package, comprising:

supplying a package, a first layer having at least a portion being substantially permeable to oxygen and a second layer being substantially impermeable to oxygen;

placing a retail cut of raw meat within the package;

supplying a mixture of gases within the package, the gas mixture comprising from about 0.1 to about 0.8 vol.% carbon monoxide and at least one other gas to form a low oxygen environment so as to form carboxymyoglobin on a surface of the raw meat; removing oxygen within the package so as to sufficiently reduce an oxygen level therein so as to inhibit or prevent the formation of metmyoglobin on the surface of the raw meat;

sealing the first layer to the package; and sealing the second layer to at least one of the package and the first layer.

- 39. The method of claim 38, wherein a pocket is formed between the first layer and the second layer.
- 40. The method of claim 38, wherein the second layer is at least sealed to the first layer and the second layer is adapted to be peelable from the first layer.
- 41. The method of claim 38, wherein the package includes a bottom wall, a continuous side wall, and a continuous rim, the continuous side wall encompassing the bottom wall and extending upwardly and outwardly from the bottom wall, the continuous rim encompassing an upper edge of the continuous side wall and projecting generally laterally outwardly therefrom.
 - 42. The method of claim 38 further including the step of removing the second layer.

- 43. The method of claim 38 further including supplying an oxygen scavenger.
- The method of claim 38, wherein the oxygen level in the package is less than 1,000 ppm.
- The method of claim 38, wherein the oxygen level in the package is less than about 500 ppm.
- 46. The method of claim 38, wherein the step of removing oxygen from the package includes evacuating the package.
- 47. The method of claim 38, wherein the step of removing oxygen from the package includes flushing the package with the gas mixture.
- 48. The method of claim 38, wherein the gas mixture further comprises nitrogen, carbon dioxide or the combination thereof.
- 49. The method of claim 38, wherein the gas mixture consists essentially of from about 0.1 to about 0.8 vol.% carbon monoxide, from about 40 to about 80 vol.% nitrogen and from about 20 to about 60 vol.% carbon dioxide.
- 50. The method of claim 38, wherein the gas mixture consists of from about 0.1 vol.% to about 0.6 vol.% carbon monoxide with the remainder carbon dioxide.
- 51. The method of claim 38 further including placing the retail cut of raw meat on a foam tray.
- 52. The method of claim 38, wherein the non-barrier portion comprises a polyolefin or a polyvinyl chloride overwrap.

- 53. The method of claim 38, wherein the gas mixture is supplied to the package such that the oxymyoglobin substantially converts directly to carboxymyoglobin.
- 54. The method of claim 38, wherein the oxymyoglobin substantially converts to deoxymyoglobin before the gas mixture is supplied to the package so as to convert deoxymyoglobin directly to carboxymyoglobin.
- 55. The method of claim 38, wherein the gas mixture comprises from about 0.3 to about 0.5 vol.% carbon monoxide.
- 56. The method of claim 38, wherein the gas mixture comprises from about 0.1 to about 0.5 vol.% carbon monoxide.
 - 76. A modified atmosphere package, comprising:
 - a package being configured and sized to fully enclose a retail cut of raw meat, the package having a mixture of gases comprising from about 0.1 to about 0.8 vol.% carbon monoxide and at least one other gas to form a low oxygen environment so as to form carboxymyoglobin on a surface of the raw meat;
 - a first layer having at least a portion being substantially permeable to oxygen and sealed to the package; and
 - a second layer being substantially impermeable to oxygen and sealed to at least one of the package and the first layer.
- 77. The package of claim 76, wherein a pocket is formed between the first layer and the second layer.
- 78. The package of claim 76, wherein the second layer is at least sealed to the first layer and the second layer is adapted to be peelable from the first layer.
 - 79. The package of claim 76, wherein the package includes a bottom wall, a

continuous side wall, and a continuous rim, the continuous side wall encompassing the bottom wall and extending upwardly and outwardly from the bottom wall, the continuous rim encompassing an upper edge of the continuous side wall and projecting laterally outwardly therefrom.

- 80. The package of claim 76 further including supplying an oxygen scavenger.
- The package of claim 76, wherein the oxygen level in the package is less than 1,000 ppm.
- 82. The package of claim 81, wherein the oxygen level in the package is less than about 500 ppm.
- 83. The package of claim 76, wherein the gas mixture consists essentially of from about 0.1 to about 0.8 vol.% carbon monoxide, from about 40 to about 80 vol.% nitrogen and from about 20 to about 60 vol.% carbon dioxide.
- 84. The package of claim 77, wherein the package further includes a foam tray sized to hold the meat.
- 85. The package of claim 77, wherein the gas mixture comprises from about 0.3 to about 0.5 vol.% carbon monoxide.
- 86. The package of claim 77, wherein the gas mixture comprises from about 0.1 to about 0.5 vol.% carbon monoxide.